

- 93.5%
-
- 4kV 6kV
-
- IP67
- SELV
- 5



EBV-350SxxxSV

350W IP67

176-305Vac

	(1)(2)			(3)	220Vac	

- | | | | | | | | |
|---|------|-----------------|-----------|------------|------|-----|-----|
| 1 | CCC | 220/230/240Vac; | CCC | 200-240Vac | 190- | Vdc | BIS |
| 2 | | 90-305Vac | 90-176Vac | | " | " | " |
| 3 | | 220Vac, 100% | " | " | | | |
| 4 | SELV | | | | | | |
| 5 | BIS | -3000 | | | | | |

AC				
DC				
		-		

				220Vac 100%
I^2t				220Vac 25 10%Ipk-10%Ipk = ms

				100%
				0% - 100% 20MHz 0.1μF 10μF
				100%
				100%
				220Vac
				/

INVENTRONICS

EBV-350SxxxSV

Rev. D

350W

IP67

				220 Vac 80% 70
			°	5
(L x W x H) (L x W x H)	7.87 x 3.15 x 1.65 200 x 80 x 42			8.94 x 3.15 x 1.65 227 x 80 x 42


EMS	

EMS	


1 EMI


() EMI

降额曲线




寿命 vs. 壳温







EBV-350S012SV
效率 vs. 输出电流




EBV-350S024SV
效率 vs. 输出电流





EBV-350S036SV
效率 vs. 输出电流






EBV-350S048SV
效率 vs. 输出电流






EBV-350S012/024SV



EBV-350S012/024SV-3000



INVENTRONICS

EBV-350SxxxSV

Rev. D

350W

IP67

		KC		
			EMI	